


TYPE	SPAN (mm)	RISE (mm)	RADIUS (mm)	END AREA (m <sup>2</sup> )	TOTAL S
SA-01	3110	1555	1555	3.80	12
SA-02	3370	1684	1685	4.46	13
SA-03	3630	1813	1815	5.17	14
SA-04	3890	1942	1945	5.94	15
SA-05	4150	2071	2075	6.76	16
SA-06	4400	2203	2200	7.60	17
SA-07	4660	2332	2330	8.53	18
SA-08	4920	2461	2460	9.51	19
SA-09	5180	2590	2590	10.54	20
SA-10	5440	2719	2720	11.62	21
SA-11	5700	2848	2850	12.76	22
SA-12	5960	2977	2980	13.95	23
SA-13	6210	3108	3105	15.14	24
SA-14	6470	3237	3235	16.44	25
SA-15	6730	3366	3365	17.79	26
SA-16	6990	3496	3495	19.19	27
SA-17	7250	3625	3625	20.64	28
SA-18	7510	3754	3755	22.15	29
SA-19	7770	3883	3885	23.71	30
SA-20	8030	4012	4015	25.32	31
SA-21	8290	4141	4145	26.99	32
SA-22	8550	4270	4275	28.71	33
SA-23	8800	4401	4400	30.41	34
SA-24	9060	4530	4530	32.23	35
SA-25	9320	4659	4660	34.11	36
SA-26	9580	4788	4790	36.04	37
SA-27	9840	4917	4920	38.02	38
SA-28	10100	5046	5050	40.06	39
SA-29	10360	5175	5180	42.15	40
SA-30	10620	5304	5310	44.29	41
SA-31	10870	5436	5435	46.40	42
SA-32	11130	5565	5565	48.55	43
SA-33	11390	5694	5695	50.95	44
SA-34	11650	5823	5825	53.30	45
SA-35	11910	5952	5955	55.70	46
SA-36	12170	6081	6085	58.16	47
SA-37	12430	6210	6215	60.67	48
SA-38	12690	6339	6345	63.24	49
SA-39	12940	6471	6470	65.75	50
SA-40	13200	6600	6600	68.42	51
SA-41	13460	6729	6730	71.15	52
SA-42	13720	6858	6860	73.92	53
SA-43	13980	6987	6990	76.75	54
SA-44	14240	7116	7120	79.63	55
SA-45	14500	7243	7250	82.56	56

TYPE	SPAN (mm)	RISE (mm)	RADIUS (mm)	END AREA (m <sup>2</sup> )	TOTAL S
SA-46	14760	7374	7380	85.55	57
SA-47	15010	7506	7505	88.48	58
SA-48	15270	7635	7635	91.57	59
SA-49	15530	7764	7765	94.71	60
SA-50	15790	7893	7895	97.91	61
SA-51	16050	8022	8025	101.16	62
SA-52	16310	8151	8155	104.46	63
SA-53	16570	8280	8285	107.82	64
SA-54	16830	8409	8415	111.23	65
SA-55	17080	8541	8540	114.56	66
SA-56	17340	8670	8670	118.08	67
SA-57	17600	8799	8800	121.64	68
SA-58	17860	8928	8930	125.26	69
SA-59	18116	9058	9058	128.88	70
SA-60	18374	9187	9187	132.58	71
SA-61	18632	9316	9316	136.33	72
SA-62	18892	9446	9446	140.16	73
SA-63	19150	9575	9575	144.01	74
SA-64	19410	9704	9705	147.95	75
SA-65	19668	9834	9834	151.91	76
SA-66	19926	9963	9963	155.92	77
SA-67	20186	10093	10093	160.01	78
SA-68	20444	10222	10222	164.13	79
SA-69	20702	10351	10351	168.30	80
SA-70	20962	10481	10481	172.55	81
SA-71	21220	10610	10610	176.83	82
SA-72	21480	10740	10740	181.19	83
SA-73	21738	10869	10869	185.57	84
SA-74	21996	10998	10998	190.00	85
SA-75	22256	11128	11128	194.52	86
SA-76	22514	11257	11257	199.05	87
SA-77	22772	11386	11386	203.64	88
SA-78	23032	11516	11516	208.32	89
SA-79	23290	11645	11645	213.01	90
SA-80	23548	11774	11774	217.75	91
SA-81	23808	11904	11904	222.59	92
SA-82	24066	12033	12033	227.44	93
SA-83	24326	12163	12163	232.38	94
SA-84	24584	12292	12292	237.34	95
SA-85	24842	12421	12421	242.34	96



- NOTES:**
1. ALL DIMENSIONS ARE TO INSIDE CREST OF CORRUGATION.
  2. 114mm EDGE DISTANCE OF STEEL IS INCLUDED INSIDE ARC LENGTH AND ANGLE.
  3. 'S' = 406.4mm

REV. No.	DATE	REVISION DESCRIPTION	DRAWN	CHECK	DES. ENG.	LEAD ENG.	DRAWING No.	REFERENCE DRAWINGS	SCALE	NTS
0	12 APR 84	INITIAL ISSUE	BF	BF					A3	SCALE N.T.S.
1										
2										
3										
4										

**roundel**  
CIVIL PRODUCTS PTY LTD

Flynn Central Business Park  
9 Werriam Street  
Neerabup  
Western Australia  
© Copyright  
This drawing is the property  
of Roundel Civil Products. It shall not be  
copied without permission.

BCMS SINGLE RADIUS ARCH  
CORRUGATION B381 x 140  
STANDARD GEOMETRY RANGE  
TYPE SA-01 TO SA-85

DWG No. RDL-STD-SA-001

REV 0